Northview Invitational -- Astronomy

15 December 2012

Team Name:_____

Team #:_____

Instructions: Using resources as outlined in the 2013 rules, answer the following questions. If the answer asks for a number, you <u>must</u> include appropriate units to be granted credit. In addition, your answer <u>must</u> be in one of the unit(s)--or a reasonable multiple, e.g. pc,kpc,Mpc;m/s, km/s--requested. Show your work! Partial credit will be given for proper procedures.

You might find the following useful.

Data for the Sun

Mass $\approx 2 \ge 10^{30} \text{ kg}$ Radius $\approx 7 \ge 10^5 \text{ km}$ Luminosity $\approx 3.8 \ge 10^{26} \text{ W}$ Temperature = 5778 K Spectral Type = G2V Absolute V band magnitude M_V = 4.83 B-V color = 0.66 **Other Information** 1 Astronomical Unit $\approx 1.5 \ge 10^8 \text{ km}$ Hubble's Constant $\approx 73 \text{ (km/sec)/Mpc}$ Stefan-Boltzmann constant = $\sigma = 5.67 \ge 10^{-8} \text{ J s}^{-1} \text{ m}^{-2} \text{ K}^{-4}$

Score: ____/100



1. The following questions refer to the image below.

a. Identify the star found in the left of this image:	_(2)
b. What larger structure is this star associated with?	_(2)


c. This star has a parallax angle of 5.89 mas. What is the distance to the star? (pc OR ly OR m)(3)

	Α	В
Mass	12.4 M₀	$10 \ M_{\odot}$
Radius	883 R _o	$4 R_{\odot}$
Temperature	3400 K	18500 K

d. This star is actually two stars. This table gives the properties of the stars.

Calculate the luminosities of the two stars. ($L_{\odot} OR W$) (4)

e. The estimated physical separation between the two stars is 574 AU. Estimate an orbital period from this information. *(years OR seconds)* (4)



2. The following questions refer to the image below.

(3)

b. The image above was taken on 17 December 2002, and shows the light echo from the outburst of the star. If the outburst began on 6 January 2002, estimate the distance to this object using the fact that the image is ~90 arcsec on a side. (pc OR ly OR m) (12)

Team #_____

Short Answer (2 points each)

a. The final stage of evolution for a star like the Sun is a ______.

b. Main sequence stars fuse ______ into _____ in their cores.

c. The maximum mass for a white dwarf (~1.4 solar mass) is known as the

d. Stars burning helium-4 into carbon-12 in the triple-alpha process reside on what part of the H-R diagram?

-

- e. A class of variable stars that have a relationship between their period and luminosity are known as
- f. Supernovas with strong Hydrogen lines in their spectra are what type of supernova?

g. A white dwarf is supported by what force?

h. When the remaining matter in a star collapses beyond the Schwarzchild radius, it forms a

i. Pulsars emit radiation most strongly in what wavelength band?

j. This exploration mission successfully landed on Mars in August 2012.

a. What is the distance to Vega? (*pc OR ly OR m*) (2)

^{4.} Vega is the brightest star in the constellation Lyra. It has a parallax angle of 130.23 mas.

b. Vega is historically the zero point of the apparent magnitude system. What is its absolute magnitude? *(magnitudes)* (3)

c. Imagine that Vega magically replaces the Sun in our solar system. What is its apparent magnitude? Compare to the Sun. Why might this number not be what you expect? *(magnitudes)* (10)

5. The period-luminosity relationship for Type II Cepheids in the J-band is

$M_J = -2.23 * log P - 0.864$

Star	Period (d)	mJ
А	18.743	11.83
В	2.794	13.65
С	13.599	12.24
D	1.890	13.98

a. Use the following to calculate the distance to the globular cluster M14. (pc OR ly OR m) (10)

b. The actual distance to M14 is 9.3 kpc. Why might the value that you found be different? (5)

6. Quick Identification (20 points, 4 per object)

Object	Name(s)	Wavelength band(s)
A		
В		
С		
D		
E		
A	B	
D		