Name_____

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.




Figure 9.1

| Using Figure 9.1, match the following: 1) Endomysium. | 1) |
|--|----|
| 2) Fascicle. | 2) |
| 3) The tissue that binds muscles into functional groups. | 3) |
| 4) Perimysium. | 4) |
| 5) Muscle fiber. | 5) |




Figure 9.2

| lsing Figure 9.2, match the following: | | |
|--|--|----------|
| 6) I band. | 6 |) |
| 7) H zone. | 7 |) |
| 8) A band. | 8 |) |
| 9) Z disc. | 9 |) |
| 10) M line | 1 | 0) |
| AULTIPLE CHOICE. Choose the one alternative that | best completes the statement or answers the c | uestion. |
| 11) With muscular dystrophy A) muscles decrease in size due to loss of I B) muscle fibers degenerate and atrophy | fat and connective tissue | 11) |
| C) most cases appear in young femalesD) most forms do not appear to be inherite | ed | |
| 12) Fatigued muscle cells that recover rapidly are A) slow exercise of short duration | the products of B) slow exercise of long duration | 12) |
| C) intense exercise of long duration | D) intense exercise of short duration | |

| 13) The strongest muscle contractions are normally a | | | 13) |
|---|---------------------------------|-----------------|-----|
| A) increasing stimulus above the treppe stimulus | ulus | | |
| B) increasing stimulus above the threshold | | | |
| C) recruiting small and medium muscle fiber | | | |
| D) increasing the stimulation up to the maxin | nal stimulus | | |
| 14) Which of the following is <i>not</i> a usual result of res | | | 14) |
| A) increase in the efficiency of the circulatory | system | | |
| B) increase in the efficiency of the respiratory | system | | |
| C) increase in the number of muscle cells | | | |
| D) increase in the number of myofibrils within | n the muscle cells | | |
| 15) The striations of a skeletal muscle cell are product A) the T tubules | ced, for the most part, by _ | · | 15) |
| B) a difference in the thickness of the sarcolen | | | |
| C) the sarcoplasmic reticulum | nma | | |
| D) the arrangement of myofilaments | | | |
| b) the arrangement of myomaments | | | |
| 16) During muscle contraction, myosin cross bridges | attach to which active site | s? | 16) |
| A) Z discs | B) actin filaments | | |
| C) thick filaments | D) myosin filaments | | |
| 17) The contractile units of skeletal muscles are | · | | 17) |
| A) T tubules B) myofibrils | C) mitochondria | D) microtubules | |
| 18) The main effect of the warm-up period of athlete | es, as the muscle contraction | ns increase in | 18) |
| strength, is to | | | |
| A) tone the muscles and stabilize the joints for | | | |
| B) enhance the availability of calcium and the | efficiency of enzyme syste | ms | |
| C) increase the myoglobin content | | | |
| D) convert glycogen to glucose | | | |
| 19) During vigorous excercise, there may be insufficient | | | 19) |
| pyruvic acid for energy. As a result, the pyruvic a | | _ • | |
| A) lactic acid | B) hydrochloric acid | | |
| C) a strong base | D) stearic acid | | |
| 20) Which of the following is true about smooth mus | | | 20) |
| A) Certain smooth muscle cells can actually di | | bers. | |
| B) Smooth muscle cannot stretch as much as s | | | |
| C) Smooth muscle, in contrast to skeletal musc tissue elements. | • | • | |
| D) Smooth muscle has well-developed T tubu | les at the site of invagination | on. | |

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

- 21) The end of the muscle that typically moves when a muscle contracts is called the
- 21) _____

22) Only _____ muscle cells commonly branch.

22) _____




Figure 10.2

Using Figure 10.2, match the following:

23) Arm abduction and rotation.

- 23) _____
- 24) A muscle that has its origin on the manubrium of the sternum and medial portion of the clavicle, and its insertion in the mastoid process of the temporal bone.
- 24) _____




Figure 10.3

| lsing Figure 10.3, match the following: | |
|---|-----|
| 25) Trapezius muscle. | 25) |
| 26) The latissimus dorsi. | 26) |
| 27) Rotates scapula. | 27) |
| 28) is a powerful forearm extensor. | 28) |
| 29) is the main chewing muscle. | 29) |
| 30) The pectoralis major has a arrangement of fascicles. | 30) |
| 31) The quadriceps femoris is composed of three "vastus" muscles and the | 31) |
| 32) is a synergist of the latissimus dorsi; it extends, medially rotates, and adducts the humerus. | 32) |
| 33) Bodybuilders are known for their "great quads." Describe the quadriceps muscles. | 33) |
| 34) A woman mentions to her friend that another person on the beach has "great abs." What is she talking about? | 34) |
| 35) How does an antagonist differ from a prime mover? How is it the same? | 35) |

| 36 | 36) A wide receiver for the Dallas Cowboys pulled a hamstring muscle. What muscles could 36) be affected and what would the effect be? | | | | |
|--------|--|--|----------------------------|-------------------------|-------------|
| ESSAY. | Write your answer in th | e space provided or on a | separate sheet of paper. | | |
| 37 | preconditioning, nor h | a 5-mile race designed to as he ever jogged before. e to go to school. What ca | The morning after the ra | • | ain in both |
| MULTIP | LE CHOICE. Choose t | he one alternative that be | est completes the statem | ent or answers the ques | tion. |
| 38 | Normal development | of the immune response i | s due in part to hormone | s produced by the | 38) |
| | A) thymus gland | | B) adrenal medulla | a | |
| | C) thyroid gland | | D) pancreas | | |
| 39 | function of other cells | ecreted by cells into the e in the body are called | · | | 39) |
| | A) proteins | B) enzymes | C) hormones | D) antibodies | |
| 40 | Growth hormone | | | | 40) |
| | A) is regulated by h | numoral mechanisms | | | |
| | B) promotes long b | one growth during the fo | ormative years | | |
| | C) secretion results | in a decrease in muscle r | nass | | |
| | D) is also called sor | natostatin | | | |
| 41) | Gonadocorticoid(s) | | | | 41) |
| | | he adrenal medulla are p | | | - |
| | the gonads duri | | | | |
| | | an result in adrenogenita | | | |
| | D) secretion inhibit | ion is highly dependent o | on a negative feedback loo | pp involving ACTH | |
| 42) | Thyroid hormone exer | | • | | 42) |
| | | ninor effect on body meta | abolism | | |
| | • | e basal metabolic rate | 48.4 | | |
| | | ells and binding to intrace | | | |
| | decreasing blood | ion in the number of bloo I pressure | d vessel adrenergic recep | tors, and therefore | |
| 43) | The ability of a specific | tissue or organ to respon | d to the presence of a hor | rmone is dependent on | 43) |
| | A) the location of th | e tissue or organ with res | pect to the circulatory pa | th | |
| | B) nothing—all hore | mones of the human body | are able to stimulate any | and all cell types | |
| | | es are powerful and nons ne appropriate receptors of | | CC110 01 0100 | |
| | | otential of the cells of the | | sane or organ | |
| | -, are interreptable pt | ACTUAL OF THE CENT OF MILE | IDIECL VIEAN | | |

| 44) Insulin, a small (51-amino | -acid) protein, is sy | nthesized by the beta cells | of the pancreas. This | 44) |
|--|-------------------------------|---|---------------------------|-----------|
| hormone is released | ° | | | |
| A) in excessive amount | ts in obese people | | | |
| B) when the body's glu | acose level drops | | | |
| C) when the body's glu | acose level rises | | | |
| D) in response to sever | e physical stress (i.e | ., a ten-mile run) | | |
| 45) When it becomes necessar | y to enlist the fight- | or-flight response, a horn | none that is released | 45) |
| during the alarm phase of | the general adaptat | ion syndrome is | • | |
| A) angiotensinogen | | B) estrogen | | |
| C) epinephrine | | D) renin | | |
| ESSAY. Write your answer in the sp | pace provided or on | a separate sheet of paper | . | |
| 46) A 25-year-old male was a assessment, the nurse observate was flushed and his soccurring. | erved his breathing | was deep and rapid, and l | nis breath smelled of ace | tone. His |
| MULTIPLE CHOICE. Choose the o | ne alternative that | best completes the statem | ent or answers the ques | stion. |
| 47) Air and food are routed in | ito the proper chann | els by the | | 47) |
| A) pharynx | B) trachea | C) larynx | D) carina | |
| 48) For gas exchange to be effi A) between 5 and 6 mid | | y membrane must be | · | 48) |
| B) at least 3 micromete | rs thick | | | |
| C) 0.5 to 1 micrometer | thick | | | |
| D) The thickness of the exchange | respiratory membra | ane is not important in the | efficiency of gas | |
| 49) The most powerful respira A) pH (alkalosis) | atory stimulus for br | eathing in a healthy perso B) increase of carb | | 49) |
| C) pH (acidosis) | | D) loss of oxygen | | |
| 50) Which of the following do | es <i>not</i> influence the i | ncrease in ventilation that | occurs as exercise is | 50) |
| A) psychic stimuli | | | | |
| B) simultaneous cortica | al motor activation o | of the skeletal muscles and | respiratory center | |
| C) proprioceptors | | | | |
| D) decrease in lactic aci | d levels | | | |
| 51) Tidal volume is air | | | | 51) |
| A) forcibly expelled after | | l | | - |
| B) inhaled after normal | inspiration | | | |
| C) exchanged during no | ormal breathing | | | |
| D) remaining in the lun | | ation | | |

| 52) Which statement about C | O ₂ is incorrect? | | | 52) |
|---|---|---------------------------------------|--------------------------|----------------------------|
| | | than is carried in the RBC | Cs. | |
| | | d by hyperventilation. | | |
| | | ed with a decrease in pH. | | |
| | | s blood than arterial bloo | d. | |
| 53) Which respiratory-associ | iated muscles would o | contract if you were to blo | w up a balloon? | 53) |
| A) diaphragm contrac | ts, internal intercostal | s would relax | | |
| | | diaphragm would relax | | |
| C) internal intercostal | | | | |
| D) diaphragm would | contract, external inte | rcostals would relax | | |
| 54) Which of the following p | rovide the greatest su | rface area for gas exchang | ge? | 54) |
| A) alveoli | | B) respiratory bro | ncnioles | |
| C) alveolar sacs | | D) alveolar ducts | | |
| 55) Select the correct stateme | ent about oxygen trans | sport in blood: | | 55) |
| | | oin is able to carry oxygen | | |
| B) A 50% oxygen satt level higher than n | | returning to the lungs mi | ght indicate an activity | |
| C) Increased BPG leve | els in the red blood ce | lls enhance oxygen-carry | | |
| D) During normal act molecule of O ₂ | ivity, a molecule of he | moglobin returning to th | e lungs carries one | |
| AY. Write your answer in the | space provided or on | a separate sheet of paper | • | |
| 56) While dining out in a res nurse and comes to the n and grabbing at his neck | nan's aid. She asks hii | m if he can talk. The man | responds by shaking h | o a student nis head no |
| LTIPLE CHOICE. Choose the | one alternative that b | est completes the statem | ent or answers the que | estion. |
| 57) Oxygen and carbon diox | ide are exchanged in t | he lungs and through all | cell membranes by | 57) _ |
| A) filtration | | B) active transpor | t | |
| C) osmosis | | D) diffusion | | |
| 58) Select the correct stateme | | | | 58) |
| A) The pharyngeal to: | nsil is located in the la | ryngopharynx. | | · |
| | | | | |
| B) The laryngopharyr | | | | |
| B) The laryngopharyr C) The palatine tonsil | s are embedded in the | lateral walls of the nasor | harynx. | |
| B) The laryngopharyr | s are embedded in the | lateral walls of the nasor | harynx. | |
| B) The laryngopharyr C) The palatine tonsil | s are embedded in the drains into the nasoph | lateral walls of the nasop narynx. | harynx. | 59) |

| 60) The loudness of a person's voice depends on A) the strength of the intrinsic laryngeal mu | | 60) |
|--|---|-----|
| B) the length of the vocal folds | | |
| C) the force with which air rushes across the | e vocal folds | |
| D) the thickness of vestibular folds | | |
| 61) The walls of the alveoli are composed of two ty type II is | pes of cells, type I and type II. The function of | 61) |
| A) to replace mucus in the alveoli | | |
| B) to trap dust and other debris | | |
| C) to secrete surfactant | | |
| D) to protect the lungs from bacterial invasion | on | |
| 62) After the segmental (tertiary) bronchus, the nex (are) the | t smaller branch of the respiratory passageway is | 62) |
| A) alveolar ducts | B) atrium | |
| C) respiratory bronchiole | D) terminal bronchioles | |